

PPMI MODAG-009-P1-01 PET Imaging Substudy
MODAG-009 PET Imaging

Note: Women of childbearing potential must have a negative urine pregnancy test result prior to injection for imaging scan.

A. Assessment Date: ____ / ____ / ____ (mm/dd/yyyy)

Vital signs measured within 5-60 minutes prior to injection

1. Was a study physician present to evaluate the participant prior to injection?

☐ Yes

☐ No

If no, please explain:

2. Time vital signs measured prior to injection: ____:____ (24-hour clock)

To be taken after participant has been supine for 5 minutes:

3. Supine blood pressure: ____ / ____ mmHg (systolic/diastolic)

4. Supine heart rate: ____ beats per minute

5. Was a pre-injection ECG collected?

☐ Yes

☐ No

6. Were pre-injection safety labs collected?

☐ Yes

☐ No

7. Was a pre-injection urinalysis collected?

☐ Yes

☐ No

8. Time of ¹⁸F-MODAG-009 injection: ____:____ (24-hour clock)

Vital signs measured 30 minutes (+/- 5 minutes) post-injection

9. Time vital signs measured after injection: ____:____ (24-hour clock)
To be taken after participant has been supine for 5 minutes:
10. Supine blood pressure: ____ / ____ mmHg (systolic/diastolic)
11. Supine heart rate: ____ beats per minute

12. Was MODAG-009 PET imaging scan completed?

☐ Yes

☐ No

If no, please explain:

Vital signs measured within 30 minutes post-imaging

13. Time vital signs measured after imaging: ____:____ (24-hour clock)
To be taken after participant has been supine for 5 minutes:
14. Supine blood pressure: ____ / ____ mmHg (systolic/diastolic)
15. Supine heart rate: ____ beats per minute

16. Was a post-injection ECG collected?

☐ Yes

☐ No

17. Were post-injection safety labs collected?

☐ Yes

☐ No

18. Was a post-injection urinalysis collected?

☐ Yes

☐ No

19. Was a study physician (or designee) present to evaluate the participant prior to discharge?

☐ Yes

☐ No

If no, please explain:
